

Free Shipping on Orders of \$100 or More. See page 3 for details.



Product Index

Trodaot maox	
Motor Oil	4
European Motor Oil	8
Classic/Collector Car Motor Oil	10
Racing Oil	11
Diesel Oil	12
Oil Analysis	15
ATV/UTV Oil/Snowmobile Oil	16
Dirt Bike Oil/Suspension Fluid	17
Motorcycle Oil	18
Scooter Oil	20
Briggs & Stratton	
Synthetic 4T Racing Oil	21
Marine Oil	22
2-Stroke Oil	24
Chaincase & Gear Oil	25
Small-Engine Oil	26
Transmission Fluid	27
Gear Lube	31
Filters	33
Grease	35
Air Tool Oil/ Bar and Chain Oil	37
Compressor Oil/Fuel Additives	38
Cleaners and Protectants	43
Coolant Boost/Coolant	46
Brake Fluid	48
Brake and Parts Cleaner/Power Steering Fluid	49
Waterless Wash & Wax/ Aftermarket Partners	50

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



Free Shipping on orders of \$100 or more in the contiguous U.S.*

BECOME AN AMSOIL PREFERRED CUSTOMER FOR **EVEN MORE GREAT BENEFITS:**



Reduced Pricing Save up to 25 percent on every order.



Free Shipping



Special Offers Preferred Customers receive exclusive promotions.



Free Swag Randomly receive free swag when you place an order.



P.C. Points Earn points on all purchases. Every 50 points earned is redeemable for \$1 off a future order.



Referral Rewards Refer friends and family members to the AMSOIL P.C. Program and receive 500 bonus points when the referred customer makes a qualifying purchase.

Sign up at AMSOIL.com/pc today and use this referral number. -

Referral #

510227

*Orders below that threshold pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at AMSOIL.com/storefront/shippinginformation.aspx

TECHNICAL QUESTIONS

(715) 399-8324 (TECH) or tech@AMSOIL.com

SHIPPING AND HANDLING

Contiguous U.S. - Free shipping on orders of \$100 or more in the contiguous U.S. Orders below that threshold pay a flat shipping rate of \$8.99. Exclusions apply. See the shipping & handling policy at AMSOIL.com/storefront/ shippinginformation.aspx.

Alaska – Add 7.5 percent to product prices for extra freight expenses. See Shipping Info at AMSOIL.com/storefront/ shippinginformation.aspx.

Hawaii - Orders are shipped using the most cost-effective method and actual freight charges will be applied when orders are shipped. See Shipping Info at AMSOIL.com/storefront/shippinginformation. aspx for additional details.

Military Post Boxes - AMSOIL INC. ships orders to APO and FPO addresses for customers' personal use only. Orders are shipped using U.S. Mail Parcel Post and will be charged actual freight costs, which will be charged at the time the order is shipped. See Shipping Info at AMSOIL.com for additional details.

PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-956-5695 for instructions.

SALES TAX INFORMATION

AMSOIL INC. is required to collect state, city, county and other taxes. AMSOIL also collects any additional taxes on lubricating products required by certain states.

Prices subject to change without notice.

WHY BUY SIGNATURE SERIES?


Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test^P. AMSOIL provided far superior wear protection and kept bearings looking like new.

PTesting conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.51 twin-turbo engines.



AMSOIL



AMSOIL Resists Viscosity Increase

AMSOIL is barely challenged by the industrystandard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled. AMSOIL delivered twice the viscosity control required by the standard. GG

Signature Series Neutralizes Acids


Industry Standard


AMSOIL Signature Series is fortified with a heavy treatment of detergent additive and it delivers 30% more acid neutralizing power^E than Mobil 1*, and 36% more than Royal Purple*, helping engines to stay cleaner, longer.

AMSOIL Standard AMSOIL Double Length

Length

EBased upon independent testing of Mobil 1 Annual Protection Full Synthetic SW-30. Royal Purple High Performance 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased 05/03/18.





Signature Series Helps Keep Valves Clean AMSOIL fights volatility 38% better than Mobil 1 and 17% better than Royal Purple, helping reduce oil consumption and keep valves clean.

"Based on independent testing of AMSOIL Signature Series Synthetic 5W-20, Mobil 1 Advanced Synthetic 5W-20, Royal Purple High Performance Synthetic 5W-20 in ASTM D5800. Oils purchased Oct.-Nov. 2018.

Signature Series Protects Against LSPI AMSOIL Synthetic Motor Oils achieved 100% protection against LSPI.B

^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

Signature Series Guards Turbos

Protects turbochargers 72% better than required^c by the GM dexos1[®] Gen 2 specification.

^cBased on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents^D to help keep oil passages clean and promote oil circulation. It provides 90% better protection against sludge.DD

^ovs. AMSOIL OE Motor Oil ^{oo}Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN specification.

Signature Series Fights Wear 75% more engine protection against horsepower loss and wear.^A ^ABased on independent testing of AMSOIL Signature Series 0W-20, in ASTM D6891 as required by the API SN specification.





SIGNATURE SERIES SYNTHETIC MOTOR OIL

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cuttingedge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards.

	Guaranteed protection for up to 25,000 miles or 1 year, whichever comes first.				
0	• 0W-20				
1	STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
	ASMQT	EA	1 Quart	10.69	14.19
ш.	ASMQT	CA	12 Quarts	121.40	167.15
	ASM1G	EA	1 Gallon	41.89	55.29
	ASM1G	CA	4 Gallons	159.35	219.15
10/3	● 5W-20				
BARRIES	STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ig tic	ALMQT	EA	1 Quart	10.69	14.19
0W-30	ALMQT	CA	12 Quarts	121.40	167.15

ĒΑ

CA

ASL	АТМ
Service of the Servic	ERISONS.
21115013	2711571/3
Synthetic Motor oil	Synthetic Motor oil
111 BH - HO	SE10W-30

	;
	;
3	





ALM1G 0W-30

ALM1G

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZOQT	EA	1 Quart	10.69	14.19
AZ0QT	CA	12 Quarts	121.40	167.15
AZO1G	EA	1 Gallon	41.89	55.29
AZO1G	CA	4 Gallons	159.35	219.15

1 Gallon

4 Gallons

41.89

159.35

55.29

219.15

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQT	EA	1 Quart	10.69	14.19
ASLQT	CA	12 Quarts	121.40	167.15
ASL1G	EA	1 Gallon	41.89	55.29
ASL1G	CA	4 Gallons	159.35	219.15

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQT	EA	1 Quart	10.69	14.19
ATMQT	CA	12 Quarts	121.40	167.15
ATM1G	EA	1 Gallon	41.89	55.29
ATM1G	CA	4 Gallons	159.35	219.15

0W-40

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQT	EA	1 Quart	10.69	14.19
AZFQT	CA	12 Quarts	121.40	167.15

○ 5W-50

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQT	EA	1 Quart	10.69	14.19
AMRQT	CA	12 Quarts	121.40	167.15

^{*}Based on independent testing in the ASTM D6891 test using 0W-20 as worst-case representation



For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and promotes longer engine life. Provides 64% more protection against oil breakdown^F than required by the GM dexos1* Gen 2 specification. Extra protection that lasts up to 12,000 miles or 1 year, whichever comes first.

● 0W-2	20				● 10W-	30			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQT	EA	1 Quart	8.19	11.19	XLTQT	EA	1 Quart	8.19	11.19
XLZQT	CA	12 Quarts	93.60	131.30	XLTQT	CA	12 Quarts	93.60	131.30
XLZ1G	ĒΑ	1 Gallon	32.09	43.29	XLT1G	ĒΑ	1 Gallon	32.09	43.29
XLZ1G	CA	4 Gallons	122.05	171.15	XLT1G	CA	4 Gallons	122.05	171.15
● 5W-2	20				○ 10W	-40			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQT	EA	1 Quart	8.19	11.19	XLOQT	EA	1 Quart	8.19	11.19
XLMQT	CA	12 Quarts	93.60	131.30	XLOQT	CA	12 Quarts	93.60	131.30
XLM1G	EA	1 Gallon	32.09	43.29	XL01G	EA	1 Gallon	32.09	43.29
XLM1G	CA	4 Gallons	122.05	171.15	XL01G	CA	4 Gallons	122.05	171.15
● 5W-30					"Pu	t this in	my light dut	v full size	
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE			iceable diffe		nt
XLFQT	EA	1 Quart	8.19	11.19			ne quieter a		
XLFQT	CA	12 Quarts	93.60	131.30		, ,	94.0101 4	0.0011.	
XLF1G	ĒΑ	1 Gallon	32.09	43.29	_ J	im P			

FBased on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.

171 15

Northern VA

XI F1G

CA

4 Gallons

122 05



Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. **Provides 47 percent more wear protection.** Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

● 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	EA	1 Quart	6.19	8.69
OESQT	CA	12 Quarts	70.15	101.15

0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQT	EA	1 Quart	6.19	8.69
OEZQT	CA	12 Quarts	70.15	101.15
OEZ1G	EA	1 Gallon	24.19	33.59
OEZ1G	CA	4 Gallons	92.10	132.50

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQT	EA	1 Quart	6.19	8.69
OEMQT	CA	12 Quarts	70.15	101.15
OEM1G	EA	1 Gallon	24.19	33.59
0EM1G	CA	4 Gallons	92.10	132.50

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQT	EA	1 Quart	6.19	8.69
OEFQT	CA	12 Quarts	70.20	101.15
0EF1G	EA	1 Gallon	24.19	33.59
OEF1G	CA	4 Gallons	92.10	132.50

10W-30

1011-30						
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE		
OETQT	EA	1 Quart	6.19	8.69		
OETQT	CA	12 Quarts	70.15	101.15		

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

STOCK#	P.C. PRICE	FULL PRICE
G1230	0.80	0.90

^GBased on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.

PREMIUM PROTECTION FOR EUROPEAN VEHICLES

Emissions System Protection

AMSOIL Synthetic European Motor Oil features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.

Synthetic European Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

- Outstanding All-Season Performance
- Engineered for Maximum Fuel Economy
- Enhanced Turbocharger Protection

"My engine sounds better than it ever has. My BMW* has 70,000+ miles and has never sounded this good or smooth. You can tell a lot about engines just from the sound and this baby is purring like I've never heard it purr. I am very pleased and glad I made the switch to AMSOIL."

-Tom Atlanta, Ga.

EUROPEAN MOTOR OIL



0W-20 LS-VW Synthetic European Motor Oil13

API SN-PLUS, SN... • ACEA C5 • VW 508.00/509.00 STOCK# UNITS PKG./SIZE P.C. PRICE **FULL PRICE EZTQT** EA CA 1 Quart 9.89 13.09 12 Quarts 112 50 155.45 F7T0T

0W-20 LS Synthetic **European Motor Oil**

API SN-PLUS (Resource Conserving), SN, SM... • ILSAC GF-5 • ACEA C5, A1/B1 • BMW LL-17FE+ • MB 229.71 • Ford WSS-M2C947-B1 • Opel/Vauxhall OV0401547 • Fiat 9.55535-GSX • Chrysler MS-12145 • Volvo VCC RBS0-2AE

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFEQT	EA	1 Quart	9.19	12.29
AFEQT	CA	12 Quarts	104.90	145.80

0W-40 FS Synthetic **European Motor Oil**

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/ SM... • BMW LL-01 • MB 229.3/229.5 • Porsche A40 • Renault 0710 0700 • VW/Audi 502 00/505 00

	STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
	EFOQT	EA	1 Quart	9.49	12.59
	FFOOT	CA	12 Quarts	107 90	149 60

¹³See page 51 for Proposition 65 information for this product.

5W-30 LS Synthetic European Motor Oil 13

Manufacturer Approvals: VW 504.00/507.00 Use in vehicles that require API SN • ACEA C3 • GM dexos2 • Chrysler MS-11106 • MB 229.51 • BMW LL-04 Porsche C30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQT	EA	1 Quart	11.59	15.29
AELQT	CA	12 Quarts	131.70	180.25
AEL1G	EA	1 Gallon	45.39	59.59
AEL1G	CA	4 Gallons	172.85	236.40

5W-40 MS Synthetic **European Motor Oil**

Manufacturer Approvals: MB-Approval 229.51 • Porsche A40 Use in vehicles that require ACEA C3 • API SN/SM/CF... • BMW Longlife-04 • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2 (supersedes LL-A-025 and LL-B-025) • Renault RN0700/RN0710 • VW/ Audi 502.00/505.01

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQT	EA	1 Quart	9.79	13.09
AFLQT	CA	12 Quarts	111.80	154.70
AFL1G	EA	1 Gallon	38.49	51.09
AFL1G	CA	4 Gallons	146.55	202.55

○ 5W-40 FS Synthetic European Motor Oil13

Manufacturer Approvals: MB-Approval 229.5 • Porsche A40 • VW/Audi 502.00/505.00

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/ SM... • BMW LL-01 • Renault 0710, 0700

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQT	EA	1 Quart	7.39	10.19
EFMQT	CA	12 Quarts	84.15	119.15
EFM1G	EA	1 Gallons	29.09	39.59
EFM1G	CA	4 Gallons	110.50	156.25

BUILD IT.



○ Assembly Lube¹⁷

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	EA	(1) 4-oz. Tube	7.69	9.89
EALTB	CA	(12) 4-oz. Tubes	87.95	117.35

Break-In Oil¹⁷

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQT	EA	1 Quart	7.59	10.29
BRKQT	CA	12 Quarts	85.75	121.50



CRUISE IT.



Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQT	EA	1 Quart	9.89	13.19
ZRTQT	CA	12 Quarts	112.95	156.30

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRDQT	EA	1 Quart	9.89	13.19
ZRDQT	CA	12 Quarts	112.95	156.35

20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQT	EA	1 Quart	10.29	13.69
ZRFQT	CA	12 Quarts	117.05	161.75



AMSOIL Delivers Superior Rust Protection





In industry-standard testing, AMSOIL Z-ROD® completely prevented rust formation while a leading competitor did not.JJ

[⊥]Based upon in-house testing of AMSOIL Z-ROD 10W-40 and a leading competitor obtained on 7/25/2019 in ASTM D1748-10.



DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

5W-2017

STUCK#	UNIIS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD20QT	EA	1 Quart	11.79	15.59
RD20QT	CA	12 Quarts	134.75	184.35

10W-3017

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD30QT	EA	1 Quart	11.49	15.19
RD30QT	CA	12 Quarts	130.80	179.30

15W-5017

1311-	30			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD50QT	EA	1 Quart	11.99	15.79
RD50QT	CA	12 Quarts	137.10	187.40
RD501G	EΑ	1 Gallon	47.39	61.99
RD501G	CA	4 Gallons	180.25	246.15

SAE 6017

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD60QT	EA	1 Quart	12.39	16.29
RD60QT	CA	12 Quarts	141.50	193.15

17See page 51 for Proposition 65 information for this product.



17//4

SAE 20W-50 BOOSTED









Delivers 50% more film thickness^Q to withstand high cylinder pressures and protect against wear.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCOQT	EA	1 Quart	10.39	13.79
DCOQT	CA	12 Quarts	117.85	162.70
DCO1G	EA	1 Gallon	40.59	53.69
DCO1G	CA	4 Gallons	154.65	213.20





^oCompared to the 3.5 cP HTHS limit for SAE 15W-40.

AMSOIL Fights Wear

AMSOIL delivers powerful engine protection. How good is it? In third-party testing compared to a leading brand, AMSOIL provided longlasting wear protection, keeping cylinder liners looking like new.DD



Description of third-party testing of AMSOIL 5W-30 Signature Series Max-Duty Synthetic Diesel Oil and a leading nitional 15W-40 diesel oil using the Detroit Diesel* DD13 Sculfing test for specification DFS 93K222, "All tradem." mes and images are the property of their respective owners and may be registered marks in so affiliation or endorsement claim, express or implied, is made by their use.

Signature Series Max-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or Cl-4+

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection. Delivers up to 60% better turbo cleanliness^J and withstands the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower. Provides up to 76% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test. Provides up to 2X better rust protection.K

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	EA	1 Quart	9.99	13.29
DHDQT	CA	12 Quarts	113.55	156.95
DHD1G	EA	1 Gallon	39.09	51.89
DHD1G	CA	4 Gallons	148.85	205.55
DHDTP	EA	(1) 2.5 Gallon	96.60	126.35
DHDTP	CA	(2) 2.5 Gallons		250.65

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTT1G	EA	1 Gallon	37.49	49.89
DTT1G	CA	4 Gallons	142.80	197.80
DTTTP	EA	(1) 2.5 Gallon	92.60	121.45
DTTTP	CA	(2) 2.5 Gallons	176.35	240.85

OW-40

Delivers 4X better cold-temperature performance^{EE}

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	EA	1 Quart	9.89	13.09
DZFQT	CA	12 Quarts	112.45	155.45
DZF1G	EA	1 Gallon	38.69	51.39
DZF1G	CA	4 Gallons	147.40	203.60



STUCK#	UNIIS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQT	EA	1 Quart	9.79	13.09
DEOQT	CA	12 Quarts	111.20	153.95
DE01G	EA	1 Gallon	38.29	50.89
DE01G	CA	4 Gallons	145.70	201.55
DEOTP	EA	(1) 2.5 Gallon	94.55	123.90
DEOTP	CA	(2) 2.5 Gallons	180.05	245.70

O 15W-40

UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EA	1 Quart	9.59	12.79
CA	12 Quarts	109.00	151.20
EA	1 Gallon	37.49	49.89
CA	4 Gallons	142.80	197.85
EA	(1) 2.5 Gallon	92.60	121.60
CA	(2) 2.5 Gallons	176.35	241.20
	EA CA EA CA EA	EA 1 Quart CA 12 Quarts EA 1 Gallon CA 4 Gallons EA (1) 2.5 Gallon	EA 1 Quart 9.59 CA 12 Quarts 109.00 EA 1 Gallon 37.49 CA 4 Gallons 142.80 EA (1) 2.5 Gallon 92.60

Based on specification standards of CAT C13 2nd Ring Top Land Carbon testing, "Based on industry standard testing using the NMMA FC-W Rust Test. Than required by the Detroit Diesel DD13 Souffing Test for Specification DFS 93K/22 using 3W-30 as worst-case representation. ¹⁸When compared to SAE 15W-40 in using 5W-30 as worst-case representation. ASTM D5293 Cold Cranking Viscosity Test.





100% Synthetic Diesel Oil

Provides outstanding protection, performance and fuel economy for smaller American diesel pickups, vans, cars and SUVs. Delivers up to 6X better wear protection than required by a leading industry standard.1

0W-20

Use in vehicles that require GM dexosD

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP020QT	EA	1 Quart	8.49	11.39
DP020QT	CA	12 Quarts	96.40	134.85

5W-30

Use in vehicles that require GM dexosD, dexos2 • Chrysler MS-11106

• Ford WSS-M2C214-B1 • ACEA C3

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP530QT	EA	1 Quart	8.39	11.39
DP530QT	CA	12 Quarts	95.95	134.30



CI-4+ Synthetic Diesel Oils

Provide outstanding protection for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

Series 3000 5W-30 **Synthetic Heavy Duty Diesel Oil**

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQT	EA	1 Quart	10.79	14.29
HDDQT	CA	12 Quarts	122.85	168.95
HDD1G	EA	1 Gallon	42.39	55.89
HDD1G	CA	4 Gallons	161.25	221.55
HDDTP	EA	(1) 2.5 Gallon	104.75	136.20
HDDTP	CA	(2) 2.5 Gallons	199.45	270.30

15W-40 Synthetic Heavy Duty **Diesel and Marine Oil**

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQT	EA	1 Quart	9.99	13.39
AMEQT	CA	12 Quarts	114.10	157.85
AME1G	EA	1 Gallon	39.29	52.09
AME1G	CA	4 Gallons	149.65	206.75
AMETP	EA	(1) 2.5 Gallon	97.10	127.10
AMETP	CA	(2) 2.5 Gallons	184.95	252.10

¹Based on third-party testing in the OM646LA cam wear test using 0W-20 as worst-case representation.

Like Series 3000?

Try Signature Series Max-Duty 5W-30 for a serious upgrade. See page 12.



Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc formula is desired.

● 10W-40¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQT	EA	1 Quart	10.09	13.39
AMOQT	CA	12 Quarts	114.55	158.35
AMO1G	EA	1 Gallon	39.49	52.29
AMO1G	CA	4 Gallons	150.20	207.45
AMOTP	EA	(1) 2.5 Gallon	97.50	127.50
AMOTP	CA	(2) 2.5 Gallons	185.65	252.90



20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQT	EA	1 Quart	10.09	13.39
AROQT	CA	12 Quarts	114.60	158.55
ARO1G	EA	1 Gallon	39.49	52.49
AR01G	CA	4 Gallons	150.30	207.75

Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oaitesting.com.

G1206 Oil Suction Pump w/10-ft. hose 26.25 28.9	STOCK# KIT01 KIT02 KIT06	PKG./SIZE 1 sample kit (includes two-way postage) 1 sample kit (includes UPS shipping) 1 sample kit	P.C. PRICE 28.35 28.35 20.50	34.00 33.90 24.60
	KITU6 KIT14	1 value sample kit	15.70	24.60 19.15
				28.90 9.20



¹³See page 51 for Proposition 65 information for this product.

SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV40QT	EA	1 Quart	10.49	14.89
AUV40QT	CA	12 Quarts	119.40	176.05

5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV50QT	EA	1 Quart	10.69	15.19
AUV50QT	CA	12 Quarts	121.80	179.20

Synthetic ATV/UTV **Transmission & Differential Fluid**

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions. Convenient easy-pack helps access tough-to-reach fill holes, making the job faster and cleaner.

	FULL PRICE	P.C. PRICE	PKG./SIZE	UNITS	STOCK#
)	16.19	11.89	1 Quart	EA	AUDTQT
;	192.25	135.75	12 Quarts	CA	AUDTQT
)	18.39	13.59	1 Quart Easy-Pack	EA	AUDTPK
)	218.00	155.10	12 Quart Easy-Packs	CA	AUDTPK
)	18.39	13.59	1 Quart Easy-Pack	EA	AUDTPK

Synthetic ATV/UTV Powertrain Fluid¹³

Purpose-built for transmission/differentials and front drives in Polaris* ATVs and UTVs, offering the perfect combination of protection and convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUPTPK	EA	1 Quart Easy-Pack	11.99	16.19
AUPTPK	CA	12 Quart Easy-Packs	136.35	192.75

ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris* (PK) and Can-Am* (CK) UTVs and ATVs. Call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PK1	EA	1 kit	32.00	43.65
PK2	EA	1 kit	28.00	38.10
PK3	EA	1 kit	26.45	36.10
CK1	EA	1 kit	52.10	70.80
CK2	EA	1 kit	40.40	54.45
CK3	EA	1 kit	50.55	68.35





Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQT	EA	1 Quart	10.99	14.49
AFFQT	CA	12 Quarts	124.80	171.45

13See page 51 for Proposition 65 information for this product.



SYNTHETIC DIRT BIKE OIL

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB40QT	EA	1 Quart	10.79	15.29
DB40QT	CA	12 Quarts	122.90	180.85

10W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB50QT	EA	1 Quart	11.59	16.29
DB50QT	CA	12 Quarts	131.85	193.25

10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB60QT	EA	1 Quart	11.89	16.69
DB60QT	CA	12 Quarts	135.15	197.80

Synthetic Dirt Bike Transmission Fluid

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DBTFQT	EA	1 Quart	9.39	13.39
DBTFQT	CA	12 Quarts	106.80	158.65

SHOCK THERAPY® SUSPENSION FLUID

Controls friction, heat, wear, foaming and scuffing in suspension components.

Lightweight #5¹⁷

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STLQT	EA	1 Quart	12.79	16.69
STLQT	CA	12 Quarts	146.05	198.50
STL05	EA	(1) 5-gal. Pail	238.15	318.85

Medium #10¹⁷


Use in applications that require more dampening and slower rebounds.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STMQT	EA	1 Quart	12.69	16.49
STMQT	CA	12 Quarts	144.10	196.10
STM05	EA	(1) 5-gal. Pail	234.85	314.90
		. ,		

¹⁷See page 51 for Proposition 65 information for this product.

AMSOIL delivers confident clutch feel.


AMSOIL provides excellent clutch protection⁷. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.





AMSOIL Resists Viscosity Breakdown

AMSOIL resists viscosity breakdown **6X better** than Harley-Davidson* SYN3* for **improved protection** against compensator and transmission gear wear. BB



**Based on testing of AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil purchased on 31919 and Harley-Davidson Screamin Eagle SYNS purchased on 31919 in the CEC L45-RRL ASTM 0445 test. All hademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



SYNTHETIC V-TWIN MOTORCYCLE OIL

20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson*, Buell* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCVQT	EA	1 Quart	10.99	14.59
MCVQT	CA	12 Quarts	125.10	172.00
MCV1G	EA	1 Gallon	43.19	56.89
MCV1G	CA	4 Gallons	164.30	225.70

SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead. Shovelhead and Knucklehead.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCSQT	EA	1 Quart	12.19	15.99
MCSQT	CA	12 Quarts	138.75	189.60

20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVIQT	EA	1 Quart	10.89	14.49
MVIQT	CA	12 Quarts	124.45	171.35

15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MSVQT	EA	1 Quart	11.99	16.29
MSVQT	CA	12 Quarts	136.65	193.35





Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVTQT	EA	1 Quart	12.19	16.49
MVTQT	CA	12 Quarts	138.50	195.95

Synthetic V-Twin Primary Fluid Delivers consistent clutch feel and helps

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVPQT	EA	1 Quart	10.89	14.89
MVPQT	CA	12 Quarts	123.55	176.00





SYNTHETIC METRIC MOTORCYCLE OIL

● 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am*, Honda*, Yamaha*, Kawasaki*, Triumph*, Suzuki*, BMW* and other motorcycle engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCFQT	EA	1 Quart	10.99	14.49
MCFQT	CA	12 Quarts	124.65	171.40
MCF1G	EA	1 Gallon	42.99	56.59
MCF1G	CA	4 Gallons	163.65	224.80

10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCTQT	EA	1 Quart	10.89	14.39
MCTQT	CA	12 Quarts	123.80	170.30

15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati*, BMW, KTM*, Yamaha, Triumph and Royal Enfield* motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MFFQT	EA	1 Quart	12.09	16.39
MFFQT	CA	12 Quarts	137.45	194.40





ASO

O Formula 4-Stroke® Synthetic Scooter Oil13

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled four-stroke motorized scooters.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASOQT	EA	1 Quart	9.09	12.29
ASOQT	CA	12 Quarts	103.80	144.45

information for this product.



Briggs & Stratton, the world's largest small-engine manufacturer, chose AMSOIL to formulate the motor oil it recommends to protect its most demanding racing engines. Imagine what AMSOIL can do for you.

ACCEPT NO SUBSTITUTES.





Briggs & Stratton Synthetic 4T Racing Oil¹⁷

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GBS2960	FA	1 Quart	11 25	15 95
GBS2960	CA	12 Quarts	134.90	191.56

¹⁷See page 51 for Proposition 65 information for this product.



· Outboard · Inboard InboardOutboard (I/O) • Watercraft

HPM

10/5/2/14

Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCTQT	EA	1 Quart	9.49	12.69
WCTQT	CA	12 Quarts	107.50	149.20

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCFQT	EA	1 Quart	10.19	13.49
WCFQT	CA	12 Quarts	115.50	159.50

25W-40 (Synthetic Blend)23

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCMQT	EA	1 Quart	7.89	10.99
WCMQT	CA	12 Quarts	90.00	129.50



HP Marine™ Synthetic 2-Stroke Oil¹³

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HPMQT	EA	1 Quart	9.09	12.29
HPMQT	CA	12 Quarts	103.85	144.65
HPM1G	EA	1 Gallon	35.69	47.69
HPM1G	CA	4 Gallons	135.95	189.15



WCM

MARINE :



RUNS ON FREEDOM

Don't let powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at AMSOIL.com/freedom.

information for this product

AGM 2-Stroke Gil TOO: FRE-MIX PROPERTY OF THE STROKE STRO

Outboard 100:1 Pre-Mix Synthetic 2-Stroke Oil¹³

Contains a heavy dose of low-temperature dispersant additives that excel at reducing varnish and carbon deposit formation in water-cooled outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATOBC	EA	(1) 8-oz. Bottle	4.49	6.09
ATOBC	CA	(12) 8-oz. Bottles	51.10	71.00
ATOQT	EA	` 1 Quart	12.49	16.39
ATOQT	CA	12 Quarts	142.65	194.70

Universal Synthetic Marine Gear Lube

Resists foam and retains extreme-pressure qualities in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions. Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination. V Choose the easy-pack for fast, easy installation.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGMTB	EA	(1) 10-oz. Tube	6.49	8.59
AGMTB	CA	(6) 10-oz. Tubes	36.90	50.95
AGMQT	EA	1 Quart	10.79	14.29
AGMQT »	CA	12 Quarts	123.10	169.55
AGMPK	EA	1 Quart Easy-Pack	12.49	16.39
AGMPK	CA	12 Quart Easy-Packs	142.25	194.15
AGM05	EA	(1) 5-gal. Pail	199.90	271.30



Marine Gear Lube Pump²⁷

Specifically designed to ease installation and reduce mess when servicing lower units.

STOCK #	P.C. PRICE	FULL PRICE
G3456	10.10	11.10







www.amsoil.com/mfr

13,27 See page 51 for Proposition 65 information for this product

Based upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.



Runs On Freedom™ **Limited Snowmobile Warranty**

Use AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil exclusively in your current-model-year or newer sled and we'll cover engine repairs in the unlikely event of any engine breakdown for up to two years/5,000 miles.*

*To get details and register, visit AMSOIL.com/rofwarranty.



AIO

Synthetic 2-Stroke Injector Oil 13

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIOQT	EA	1 Quart	7.89	10.99
AIOQT	CA	12 Quarts	89.55	129.00
AIO1G	EA	1 Gallon	30.89	42.79
AIO1G	CA	4 Gallons	117 70	169 35



■ INTERCEPTOR® Synthetic 2-Stroke Oil 13

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AITQT	EA	1 Quart	10.19	13.59
AITQT	CA	12 Quarts	115.85	160.05
AIT1G	ĒΑ	1 Gallon	39.89	52.89
AIT1G	CA	4 Gallons	151.90	209.70

Meets the performance requirements of Polaris*. Arctic Cat* and Ski-Doo* two-stroke snowmobiles.

AMSOIL Fights Wear

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered outstanding wear protection and cleanliness in a rental sled throughout 1,617 miles of abuse. CC

AMSOIL kept pistons virtually free of carbon with nearly all coating intact.



AMSOIL fought the formation of carbon deposits, allowing power valves to move freely.





Hunter Patenaude Team AMSOIL Scheuring Speed Sports

DOMINATOR® Synthetic 2-Stroke Racing Oil¹3

Delivers outstanding wear protection in highhorsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TDRQT	EA	1 Quart	10.69	14.19
TDRQT	CA	12 Quarts	121.45	167.35
TDR1G	EA	1 Gallon	41.89	55.29
TDR1G	CA	4 Gallons	159.40	219.40



MAXIMUM PERFORMANCE

TCC

Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK# TCCCN TCCCN	UNITS EA CA EA	PKG./SIZE (1) 16-oz. Bottle (6) 16-oz. Bottles (1) 5-gal. Pail	P.C. PRICE 9.09 52.00 215.10	FULL PRICE 12.39 73.70
TCC05	EA	(1) 5-gal. Pail	215.10	290.05

SABER® Professional Synthetic 2-Stroke Oil¹³

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.



¹³See page 51 for Proposition 65 information for this product.

SABER® Ratio™ 100:1...1.3 oz......1 GAL

SABER Professional Fights Carbon

Equipment using SABER Professional was 96% carbon-free^N.



AMSOIL SABER Professional 300 Hours 3.8% Screen Blockage



Leading Oil Brand 45 Hours 98% Screen Blockage

NBased on spark-arrestor testing.

VS

AES ASF SAE 5W-30 THIS DUART - SAS mi. ASF E10W-30 SAE 10W-40 SEF **NEW** AHF 1U.S. QUART - 946 mt. MERCIAL-GRADE AE 20W-50 - Fights we - Smooth s

Synthetic Small-Engine Oil

ASE1G

ASE05

ASF05

CA

EΑ

FΑ

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more

○ 5W-30				
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AESQT	EA	1 Quart	8.09	11.09
AESQT	CA	12 Quarts	92.50	129.85

10W-30 STOCK# UNITS PKG./SIZE P.C. PRICE **FULL PRICE ASEQT** EΑ 1 Quart 8.09 11.09 CA 12 Quarts 92.50 129.90 **ASEQT** EΑ 1 Gallon 31.79 42.89 ASE1G

120.80

148.90

151.55

169.50

206.25

209.65

4 Gallons

(1) 5-gal. Pail

(1) 5-gal. Pail

● 10W-4	40			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASFQT	EA	1 Quart	8.29	11.19
ASFQT	CA	12 Quarts	94.10	131.95
ASF1G	EA	1 Gallon	32.29	43.49
ASF1G	CA	4 Gallons	122.90	172.25

15W-5	50			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SEFQT	EA	1 Quart	7.69	10.49
SEFQT	CA	12 Quarts	87.60	123.65

● 20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid¹³

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

STOCK# AHFQT	UNITS	PKG./SIZE 1 Quart	P.C. PRICE 10 19	FULL PRICE 13.59
	EA			
AHFQT	CA	12 Quarts	116.10	160.50
AHF1G	EA	1 Gallon	39.99	53.09
AHF1G	CA	4 Gallons	152.30	210.30
AHF05	EA	(1) 5-gal. Pail	188.25	256.45

¹³See page 51 for Proposition 65 information for this product.

Signature Series Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passengercar/light-truck transmissions. Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that guickly break down other lubricants.

Handle More Heat With Confidence

Standard Severe Service

AMSOIL Severe Service

RESERVE PROTECTION

Change Interval-Miles



Multi-Vehicle¹⁷

STOCK# ATFQT ATFQT	UNITS EA CA	PKG./SIZE 1 Quart 12 Quarts	P.C. PRICE 12.39 141.00	16.19 192.15
ATFPK	EA	1 Quart Easy-Pack	13.89	18.09
ATFPK	CA	12 Quart Easy-Packs	158.70	214.95
ATF1G	EA	1 Gallon	48.69	63.59
ATF1G	CA	4 Gallons	185.45	252.50
ATFTP	EA	(1) 2.5 Gallon	120.65	155.25
ATFTP	CA	(2) 2.5 Gallons	229.75	308.45



Fuel-Efficient¹⁷

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK# ATLQT	UNITS EA	PKG./SIZE 1 Quart	P.C. PRICE 12.29	FULL PRICE 16.09
ATLQT	CA	12 Quarts	140.15	191.00
ATLPK	EA	1 Quart Easy-Pack	13.99	18.09
ATLPK	CA	12 Quart Easy-Packs	159.10	215.35
ATL1G	EA	1 Gallon	48.39	63.19
ATL1G	CA	4 Gallons	184.35	251.00
ATLTP	EA	(1) 2.5 Gallon	119.90	154.30
ATLTP	CA	(2) 2.5 Gallons	228.35	306.55

 $^{^{\}mbox{\scriptsize 17}}\mbox{See}$ page 51 for Proposition 65 information for this product.



OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passengercar/light-truck transmissions.

Multi-Vehicle¹⁷

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQT	EA	1 Quart	7.69	10.59
OTFQT	CA	12 Quarts	87.85	123.90
OTF1G	EA	1 Gallon	30.39	41.19
OTF1G	CA	4 Gallons	115.45	162.60
OTFTP	EA	(1) 2.5 Gallon	74.70	99.90
OTFTP	CA	(2) 2.5 Gallons	142.20	197.70



Fuel-Efficient¹⁷

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying lowviscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQT	EA	1 Quart	7.79	10.59
OTLQT	CA	12 Quarts	88.45	124.65
OTL1G	EA	1 Gallon	30.59	41.39
OTL1G	CA	4 Gallons	116.25	163.55
OTLTP	EA	(1) 2.5 Gallon	75.20	100.50
OTLTP	CA	(2) 2.5 Gallons	143.20	198.90



Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

CVTQT EA 1 Quart 11.39 CVTQT CA 12 Quarts 129.45 CVT1G EA 1 Gallon 44.69 CVT1G CA 4 Gallons 170.05	CVTQT CVT1G	QT EA QT CA IG EA	12 Quarts 1 Gallon	129.45 44.69	FULL PRICE 15.49 183.55 60.69 240.90
---	----------------	-------------------------	-----------------------	-----------------	--

¹⁷See page 51 for Proposition 65 information for this product.



100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	EA	1 Quart	17.59	24.09
DCTQT	CA	12 Quarts	200.20	287.40



Synthetic Manual Transmission and Transaxle Gear Lube¹⁵

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQT	EA	1 Quart	14.99	19.29
MTGQT	CA	12 Quarts	170.60	230.20
MTGPK	EA	1 Quart Easy-Pack	16.59	21.29
MTGPK	CA	12 Quart Easy-Packs	189.10	254.05
MTG05	EA	(1) 5-gal. Pail	279.05	370.95
MTG55	EA	55-gal. Drum	2,910.35	3,603.30



Synthetic Synchromesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQT	EA	1 Quart	13.29	17.39
MTFQT	CA	12 Quarts	151.50	205.95
MTF05	EA	(1) 5-gal. Pail	247.25	331.10
MTF55	EA	55-gal. Drum	2,560.70	3,197.95

¹⁵See page 51 for Proposition 65 information for this product.



Super Shift® Racing Transmission Fluid 17

Formulated to prevent slippage and reduce heat in highperformance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ARTQT	EA	1 Quart	11.79	15.49
ARTQT	CA	12 Quarts	134.40	183.80



Torque-Drive® Synthetic Heavy-Duty **Automatic Transmission Fluid¹⁷**

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

STOCK# ATD1G	UNITS FA	PKG./SIZE 1 Gallon	P.C. PRICE 48 09	FULL PRICE 62 79
ATD1G ATDTP	CA	4 Gallons	183.00 119.00	249.25 153.25
ATDTP	EA CA	(1) 2.5 Gallon (2) 2.5 Gallons	226.65	304.45



Synthetic Tractor/Hydraulic Transmission Oil¹³

Formulated for combinations of transmissions. hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATHQT	EA	1 Quart	9.79	13.09
ATHQT	CA	12 Quarts	111.30	154.15
ATH05	EA	(1) 5-gal. Pail	180.20	246.05
ATH30	EA	30-gal. Drum	1,022.75	1,326.85
ATH55	EA	55-gal. Drum	1,823.10	2,333.10

^{17, 13} See page 51 for Proposition 65 information for this product.



SEVERE GEAR® Synthetic EP Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

75W-90

Top fuel efficiency and cold-temperature performance				
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQT	EA	1 Quart	14.79	19.19
SVGQT	CA	12 Quarts	168.65	227.85
SVGPK	EA	1 Quart Easy-Pack	14.79	19.19
SVGPK	CA	12 Quart Easy-Packs	168.65	227.85
SVG05	EA	(1) 5-gal. Pail	266.60	355.45

80W-90¹³

Excellent extreme-pressure performance and wear protection				
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	EA	1 Quart	10.89	14.49
AGLQT	CA	12 Quarts	124.40	171.15
AGLPK	EA	1 Quart Easy-Pack	12.49	16.39
AGLPK	CA	12 Quart Easy-Packs	142.75	194.80
AGL05	EA	(1) 5-gal. Pail	192.85	262.40

9 75W-110

extra viscosity protection without sacrificing fuel efficiency				
PKG./SIZE	P.C. PRICE	FULL PRICE		
1 Quart	14.89	19.39		
12 Quarts	169.90	229.55		
1 Quart Easy-Pack	16.59	21.39		
12 Quart Easy-Packs	189.35	254.55		
(1) 5-gal. Pail	268.75	358.20		
	PKG./SIZE 1 Quart 12 Quarts 1 Quart Easy-Pack 12 Quart Easy-Packs	PKG./SIZE P.C. PRICE 1 Quart 14.89 12 Quarts 169.90 1 Quart Easy-Pack 16.59 12 Quart Easy-Packs 189.35		

75W-140

IVI	axımum	viscosity	protection for s	evere-duty ap	opiications
	STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
	SVOQT	EA	1 Quart	16.59	21.39
	SVOQT	CA	12 Quarts	188.70	253.70
	SVOPK	EA	1 Quart Easy-Pac	k 16.59	21.39
	SVOPK	CA ·	12 Quart Easy-Pac	ks 188.70	253.70
	SV005	FA	(1) 5-gal Pail	300 00	397 80



Whoever invented the easy-pack concept is a genius. Especially for servicing transfer cases and differentials. It lives up to its name. Not only an innovative oil, but innovative packaging as well.

– Joey Calif.

¹³See page 51 for Proposition 65 information for this product.



ADA

● SEVERE GEAR® SAE 250 EP Synthetic Racing Gear Lube²⁸

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRTQT	EA	1 Quart	15.39	19.89
SRTQT	CA	12 Quarts	175.10	236.40
SRT05	FA	(1) 5-gal Pail	286.55	381 10

Long Life Synthetic Gear Lube

Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for overthe-road trucks and heavy equipment.

75W-90¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGRQT	EA	1 Quart	12.89	16.89
FGRQT	CA	12 Quarts	146.85	200.15
FGR1G	EA	1 Gallon	50.89	66.39
FGR1G	CA	4 Gallons	193.70	263.70
FGR05	EA	(1) 5-gal. Pail	239.50	321.55

80W-140¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FG005	EA	(1) 5-gal. Pail	226.00	304.60
FG016	EA	16-gal. Keg	714.80	932.30
FG030	EA	30-gal. Drum	1,297.70	1,657.10
FG055	EA	55-gal. Drum	2,321.30	2,922.25

○ Slip Lock® Differential Additive²¹

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATB	EA	(1) 4-oz. Tube	7.99	10.19
ΔDΔTR	CA	(12) 4-nz Tuhes	90 90	121 25



Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL PRICE
Hand Pump	G2039	10.50	11.55
Flexible Pour Spout	G1230	0.80	0.90
Nozzle Dispenser Caps (6)	G1242	1.05	1.20
FloTool Flexible Pour Spout	G3721	4.20	4.65



28, 13, 21 See page 51 for Proposition 65 information for this product.

99% Efficiency at 20 Microns Filtering particles >20 microns fights engine wear. AA Challenger B 40 microns Challenger A 30 microns 20 microns AA In accordance with industry-standard ISO SO 4548-12.



Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.

- Oil Filters designated with product code EA15K are recommended for 15,000 miles/one year, whichever comes first, in normal or severe service. NOTE: Change oil filter at every oil change.
- Oil Filters designated with product code EAO are recommended for 25,000 miles/one year, whichever comes first, in normal service or 15,000 miles/one year, whichever comes first, in severe service. NOTE: Change oil filter at every oil change.

Which filter do I need?

Call 1-800-956-5695 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

Oil Filters are available to Preferred Customers by the case. See page 3 for information on becoming a Preferred Customer.

Fill in your vehicle information. Then call 1-800-956-5695 (Monday – Friday, 7 a.m. – 7 p.m. Central Time). You may also contact

the AMSOIL Dealer listed on	the back of your	catalog (if one is listed) t	o determine your appropriate oil and air filters.
Make	Year	Model	Engine
VIN			
Your AMSOIL Oil Filter is_			
Your WIX Air Filter is			The First in Synthetics

More Premium Filters

AMSOIL offers a variety of specialty oil and air filters constructed with premium synthetic technology. Call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and offroad diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.



Bypass Filters

High-efficiency bypass filters effectively remove minute dirt particles and soot by working in conjunction with the engine's full-flow oil filter.



Ea® Universal Air Induction Filters

Fit most popular air intake systems on the market, providing improved cold air intake and excellent efficiency for superior engine protection and performance. Cleanable and remain serviceable for long filter life.



Ea Racing Air Filters

Specially designed for carbureted racing and street rod applications, providing higher dirt-holding capacity, lower pressure drop and greater airflow and efficiency. Cleanable and remain serviceable for long filter life.



Ea Pre-Filters

Constructed of woven mesh and designed to fit over the top of Ea Racing and Air Induction Filters, preventing large particles from sticking to them and blocking airflow. Easily removed and shaken free of debris in seconds. Cleanable and remain serviceable for up to one year.



Motorcycle Oil Filters

Most efficient filters available for the motorcycle and powersports market. Provide excellent 99 percent filtering efficiency at 20 microns. Available in black or chrome (as available).

GRG



GPOR1

AMSOIL

SYNTHETIC

POLYMERIC

GREASE



GPTR1

50/4

SYNTHETIC

DLYMERIC



DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat conditions.

 Use in applications that require NLGI No. 2

 STOCK#
 UNITS
 PKG./SIZE
 P.C. PRICE
 FULL PRICE

 GRGCR
 EA
 (1) 14-oz. Cartridge
 12.29
 16.79

 GRGCR
 CA
 (10) 14-oz. Cartridges
 119.90
 162.10

Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

Synthetic Polymeric Off-Road Grease¹⁶

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR1CR	EA	(1) 15-oz. Cartridge	8.39	11.59
GPOR1CR	CA	(10) 15-oz. Cartridges	82.40	110.40

Synthetic Polymeric Off-Road Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR2CR	EA	(1) 15-oz. Cartridge	8.59	11.89
GPOR2CR	CA	(10) 15-oz. Cartridges	84.45	113.10

Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

Synthetic Polymeric Truck, Chassis and Equipment Grease²⁰

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR1CR	EA	(1) 14-oz. Cartridge	7.19	9.99
GPTR1CR	CA	(10) 14-oz. Cartridges	70.55	95.20

Synthetic Polymeric Truck, Chassis and Equipment Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR2CR	EA	(1) 14-oz. Cartridge	7.79	10.79
GPTR2CR	CA	(10) 14-oz. Cartridges	76.25	102.55

^{16,20}See page 51 for Proposition 65 information for this product.

GLC

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	EA	(1) 14-oz. Cartridge	7.39	10.29
GLCCR	CA	(10) 14-oz. Cartridges	71.05	97.85
GLC3P	EA	(3) 3-oz. Cartridges	8.89	11.99
GLC3P	CA	(30) 3-oz. Cartridges	84.35	113.40
GLCGN	EA	Grease Gun Kit	30.55	41.30





GWR



Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GWRCR	EA	(1) 14-oz. Cartridge	7.69	10.69
GWRCR	CA	(10) 14-oz. Cartridges	74.05	101.85
GWR3P	EA	(3) 3-oz. Cartridges	9.49	12.89
GWR3P	CA	(30) 3-oz. Cartridges	90.45	121.40



GXC



X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GXCCR	EA	(1) 14-oz. Cartridge	9.79	13.49
GXCCR	CA	(10) 14-oz. Cartridges	95.15	129.55





AIR



Arctic Synthetic Grease

Provides extreme low-temperature pumpability and superior protection for equipment operating in harsh climates where temperatures drop well below freezing.

Use in app	olications	that require NLGI No. 1		
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GECCR	EA	(1) 15-oz. Cartridge	11.99	16.29
GECCR	CA	(10) 15-oz. Cartridges	116.45	154.25

Synthetic Fifth-Wheel Grease

Heavy-duty grease that provides outstanding protection and performance in the heavily loaded, harsh operating environments of fifth-wheel hitches used in trucking and trailer applications.

Use in app	olications	that require NLGI No. 2		
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FWGTB	EA	(1) 10-oz. Tube	7.69	10.09
FWGTB	CA	(12) 10-oz. Tubes	86.75	117.85

Spray Grease

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GSPSC	EA	(1) 10-oz. Spray Can	7.59	9.89
GSPSC	CA	(12) 10-oz. Spray Cans	86.50	116.65

Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIRBA	EA	(1) 4-oz. Bottle	3.59	4.79
AIRBA	CA	(12) 4-oz. Bottles	40.55	55.75

Semi-Synthetic Bar and Chain Oil¹⁷

Delivers excellent lubrication and protection, helping extend the life of bar and chain applications.

STOCK# ABCQT ABCQT ABC1G ABC1G	UNITS EA CA EA CA	PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons	P.C. PRICE 5.59 63.45 21.69 82.45	FULL PRICE 7.89 92.70 30.49 120.40
ABC1G	CA	4 Gallons	82.45	120.40
ABC05	EA	(1) 5-gal. Pail	100.45	145.10



Synthetic Compressor Oil

Superior protection for rotary screw, rotary vane, reciprocating and other compressor applications.

ISO 46. SAE 20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCIQT	EA	1 Quart	11.89	15.59
PCIQT	CA	12 Quarts	136.00	185.75
PCI05	EA	(1) 5-gal. Pail	221.40	297.85

ISO 100, SAE 30/40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCKQT	EA	1 Quart	12.19	15.99
PCKQT	CA	12 Quarts	138.70	189.40
PCK05	ĒΑ	(1) 5-gal. Pail	225.85	303.90

Gasoline Stabilizer¹³

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles. lawnmowers, motorcycles and boats. One ounce treats 2.5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCN	EA	(1) 16-oz. Bottle	10.29	13.59
ASTCN	CA	(6) 16-oz. Bottles	58.75	80.40

AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam® Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.






*Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.

¹³See page 51 for Proposition 65 information for this product.

Upper Cylinder Lubricant Gasoline Additive¹³

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCN	EA	(1) 6-oz. Bottle	3.99	5.19
UCLCN	CA	(12) 6-oz. Bottles	44.80	61.90



Preserves Horsepower and Performance

AMSOIL delivers 18 percent more lubricity than Lucas* and 20 percent more than Sea Foam* for better retention of horsepower and fuel economy.R

may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use

UCL






Restores up to 14 percent horsepower.^{NN} Bottle compatible with capless fuel systems. Add entire bottle to tank at fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APICN	EA	(1) 12-oz. Bottle	11.19	14.49
APICN	CA	(12) 12-oz. Bottles	127.15	172.15


Two of the four dirty injectors tested were fouled >15% and another was fouled >10%. After one tank of operation on AMSOIL P.i., all injectors returned to >95% flow.




AMSOIL Restores Horsepower

AMSOIL P.i.® restores up to 14% horsepower.NN

NNIBased on third-party testing in a 2016 Chevrolet "Silverado" 1500, 5.2 V-8 GDI with 100, 616 miles, using one tank treated with AMSOIL P.i. Actual results may vary. "All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.





Injector spray pattern **before** P.i. treatment.



Injector spray pattern **after** P.i. treatment.

¹³See page 51 for Proposition 65 information for this product.



Addresses Ethanol-Related Performance issues

DIRECTIONS: One bottle treats up to 6 gallons for cleanup and up to 12 gallons for continued protection. For best results use with every tank.

Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and fourstroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCN	EA	(1) 8-oz. Bottle	8.09	10.59
AQSCN	CA	(6) 8-oz. Bottles	45.90	62.90
AQSQT	EA	` 1 Quart	25.99	32.99
AQSQT	CA	12 Quarts	297.00	393.15



Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers. leading to lean-burn conditions.

Quickshot helps keep water molecules dispersed to prevent phase separation.

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot® (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.



DRC



ADD DIESEL COLD FLOW



DOMINATOR® Octane Boost²¹

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 15 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AOBBE	EA	(1) 12-oz. Bottle	8.79	11.29
AOBBE	CA	(6) 12-oz. Bottles	50.25	66.85

■ Motorcycle Octane Boost²¹

Increases octane up to three numbers for maximum power and efficiency in motorcycles. Treats 4-6 gallons of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MOBCN	EA	(1) 4-oz. Bottle	4.39	5.59
MOBCN	CA	(12) 4-oz. Bottles	49.85	65.90

Diesel Recovery²¹

Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies. One ounce treats up to 1 gallon of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQT	EA	(1) 30-oz. Bottle	11.59	15.19
DRCQT	CA	(12) 30-oz. Bottles	132.50	180.95

Diesel Cold Flow¹⁷

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point, prevent wax settling and improve cold-flow filtration properties. Lowers cold filter-plugging point (CFPP) by up to 40°F (22°C) in ultra-low-sulfur diesel (ULSD). One ounce treats up to 5 gallons of fuel.


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADDCN	EA	(1) 16-oz. Bottle	7.79	10.39
ADDCN	CA	(12) 16-oz. Bottles	88.85	123.15
ADD05	EA	` (1) 5-gal. Pail	226.10	304.60

Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45. One ounce treats up to 10 gallons of fuel.

STOCK#	UNITS	PKG./SIZE (1) 16-oz. Bottle (12) 16-oz. Bottles (1) 64-oz. Bottle	P.C. PRICE	FULL PRICE
ACBCN	EA		7.79	10.39
ACBCN	CA		88.65	123.30
ACBHG	EA		25.59	33.59
ACBHG	CA	(6) 64-oz. Bottles	145.80	199.65
ACB05	EA	(1) 5-gal. Pail	219.80	297.80

^{21, 17} See page 51 for Proposition 65 information for this product.



Superior Cold-Temperature Protection

Provides as much as 32°F better protection against cold-temperature gelling than Howes Lubricator Diesel Treat.^M Plus raises cetane up to 4 points.

Diesel All-In-One²⁵

Combines the superior deposit-removing properties of Diesel Injector Clean, the excellent anti-gelling properties of Diesel Cold Flow and the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. Protects against injector wear better than Sea Foam*, delivering 2X more diesel fuel lubricity. One ounce treats up to 2.5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBPCN	EA	(1) 8-oz. Bottle	4.99	6.79
ADBPCN	CA	(6) 8-oz. Bottles	28.25	39.80
ADBCN	EA	(1) 16-oz. Bottle	8.89	11.79
ADBCN	CA	(12) 16-oz. Bottles	101.70	140.10
ADBHG	EA	(1) 64-oz. Bottle	30.99	40.19
ADBHG	CA	(6) 64-oz. Bottles	177.10	239.25
ADB05	EA	(1) 5-gal. Pail	268.90	359.05

Diesel Injector Clean + Cetane Boost²¹

Combines the superior deposit-removing properties of Diesel Injector Clean with the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSPCN	EA	(1) 8-oz. Bottle	4.19	5.69
ADSPCN	CA	(6) 8-oz. Bottles	24.00	33.50
ADSCN	EA	(1) 16-oz. Bottle	10.79	14.09
ADSCN	CA	(12) 16-oz. Bottles	122.65	167.80
ADSHG	EA	(1) 64-oz. Bottle	35.49	45.59
ADSHG	CA	(6) 64-oz. Bottles	202.35	271.95
ADS05	EA	` (1) 5-gal. Pail	309.35	410.80

Diesel Injector Clean¹⁹

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. One ounce treats up to 5 gallons of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFPCN	EA	(1) 8-oz. Bottle	3.99	5.49
ADFPCN	CA	(6) 8-oz. Bottles	22.45	32.10
ADFCN	EA	(1) 16-oz. Bottle	6.99	9.39
ADFCN	CA	(12) 16-oz. Bottles	79.80	111.25
ADFHG	EA	(1) 64-oz. Bottle	23.39	30.69
ADFHG	CA	(6) 64-oz. Bottles	133.30	182.75
ADF05	EA	(1) 5-gal. Pail	195.90	266.35

¹Based upon third-party testing of AMSOIL All-In-One obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased on Oct. 25, 2018 in the ASTM D6079 test.





ADF

MBased on third-party testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.

^{19, 21, 25} See page 51 for Proposition 65 information for this product



Chain Lube

Provides outstanding protection against wear and corrosion. Helps extend chain life. Does not attract dirt and does not fling off. Fast-drying.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACL4SC	EA	(1) 4.5-oz. Spray Can	5.49	7.19
ACL4SC	CA	(12) 4.5-oz. Spray Cans	61.75	83.85
ACLSC	EA	(1) 11-oz. Spray Can	9.39	12.29
ACLSC	CA	(6) 11-oz. Spray Cans	53.30	72.95



FOG

Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FOGSC	EA	(1) 12-oz. Aerosol Can	7.99	10.39
FOGSC	CA	(6) 12-oz. Aerosol Cans	45.30	60.95

Power Foam[®]

Improves starting and performance by cleaning dirty intake systems and spark plugs, freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APFSC	EA	(1) 18-oz. Spray Can	8.69	11.39
APFSC	CA	(12) 18-oz. Spray Cans	98.40	134.60



Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADGSC	EA	(1) 15-oz. Spray Can	11.39	14.59
ADGSC	CA	(12) 15-oz. Spray Cans	129.35	173.05



AED

AMS

Silicone Spray²⁶

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard or fiberglass. Also excellent for waterproofing leather products. Hundreds of household uses.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALSSP	EA	(1) 10-oz. Spray Can	7.79	10.19
ALSSP	CA	(12) 10-oz. Spray Cans	89.10	119.95

Mudslinger[®]

Provides a protective layer of armor against the accumulation of mud. dirt and snow on ATVs. UTVs and dirt bikes, easing clean-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMSSC	EA	(1) 12-oz. Spray Can	8.39	10.89
AMSSC	CA	(12) 12-oz. Spray Cans	94.90	128.80





Mudslinger makes an old machine look new again.

Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime, making engines look new again.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AEDSC	EA	(1) 15-oz. Spray Can	7.19	9.39
AEDSC	CA	(12) 15-oz. Spray Cans	81.45	110.10

Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGCSC	EA	(1) 19-oz. Spray Can	4.09	5.29
AGCSC	CA	(12) 19-oz. Spray Cans	46.15	61.40





FLPSC





Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLPBA	EA	(1) 4-oz. Bottle	7.99	10.89
FLPBA	CA	(12) 4-oz. Bottles	90.90	128.10
FLPSC	EA	(1) 5-oz. Spray Can	9.99	12.49
FLPSC	CA	(12) 5-oz. Spray Cans	113.40	147.80

FCPCN





Firearm Cleaner and Protectant

Penetrates deep into hard-to-reach components, effectively cleaning fouling and powder residue from all firearm surfaces, safely protecting them for storage, reducing jamming and increasing reliability. Protects against corrosion, allowing for safe storage and preserving performance, reliability and value.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FCPSC	EA	(1) 5-oz. Spray Can	5.79	7.89
FCPSC	CA	(12) 5-oz. Spray Cans	65.70	92.75
FCPCN	EA	(1) 8-oz. Bottle	9.19	12.49
FCPCN	CA	(12) 8-oz. Bottles	104.35	147.85

"It's a great product to keep your firearms/ shotguns in great working order & protect from our harsh weather elements."

- Steve Pratts Fork, Ohio

AMP AMH

RDCB



Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK# UNITS PKG./SIZE P.C. PRICE FUL AMP4SC EA (1) 4-oz. Spray Can 4.69 AMP4SC CA (12) 4-oz. Spray Cans 52.90 AMPSC EA (1) 8.75-oz. Spray Can 6.09	6.09 70.75 7.99
AMPSC CA (12) 8.75-oz. Spray Cans 69.70	93.70



Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMHSC	EA	(1) 15-oz. Spray Can	10.19	13.99
AMHSC	CA	(12) 15-oz. Spray Cans	115.50	166.25

Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCN	EA	(1) 16-oz. Bottle	9 69	12.69
FLSHCN	CA	(12) 16-oz. Bottles	109.75	150.55
FLSH05	ĒΑ	(1) 5-gal. Pail	297.20	394.55

DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE (1) 16-oz. Bottle	P.C. PRICE	FULL PRICE
RDCBCN	EA		10.19	13.39
RDCBCN	CA	(6) 16-oz. Bottles	58.25	79.25

Powersports Antifreeze & Coolant¹⁵

Advanced design helps control operating temperature in hot-running, high-revving powersports applications. Extended-life formula provides all-season protection for up to five years.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSAFQT	EA	1 Quart	7.49	10.29
PSAFQT	CA	12 Quarts	85.05	120.75







15See page 51 for Proposition 65 information for this product.



Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first, in heavy-duty applications. Concentrated formula

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	EA	1 Gallon	30.59	42.49
ANT1G	CA	4 Gallons	116.55	168.10

Passenger Car/Light Truck Antifreeze & Coolant¹⁵

Engineered to exceed original equipment manufacturer (OEM) requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTPC1G	EA	1 Gallon	15.69	23.99
ANTPC1G	CA	4 Gallons	59.45	94.35



AMSOIL Resists Corrosion

In third-party, industry-standard testing, cast-iron and copper plates protected by AMSOIL showed virtually **no signs of corrosion**.







AMSOIL Resists Cavitation

In third-party, industry-standard testing, cylinder liners protected by AMSOIL showed virtually **no signs of cavitation**. $^{\parallel}$

Based on results of the ASTM D7583 cavitation test.



Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first. Pre-mixed formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTHD1G	EA	1 Gallon	16.89	25.49
ANTHD1G	CA	4 Gallons	64.15	100.45

To test freeze protection and additive concentration, order antifreeze test strips:

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
G1164	EA	70 Strips	12.60	13.90
G1165	EA	6 Strips	4.75	5.20

¹⁵See page 51 for Proposition 65 information for this product.





DOT 3 & 4 Synthetic Brake Fluid¹¹

High-performance brake fluid specially designed as a multi-use product for passenger-car, light-truck and powersports applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFLVCN	EA	(1) 12-oz. Bottle	6.59	8.59
BFLVCN	CA	(12) 12-oz. Bottles	74.35	101.00



DOMINATOR DOT 4 Synthetic Racing Brake Fluid¹⁰

High boiling point brake fluid engineered to resist brake fade and vapor lock during intense racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFRCN	EA	(1) 12-oz. Bottle	12.09	17.09
BFRCN	CA	(12) 12-oz. Bottles	138.20	203.10





Brake and Parts Cleaner

Professional-strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BPCSC	EA	(1) 19-oz. Spray Can	4.79	6.59
BPCSC	CA	(12) 19-oz. Spray Cans	54.55	76.90



PSF

Multi-Vehicle Synthetic Power Steering Fluid¹³

Provides excellent wear protection, long component life and quiet operation in most passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCN	EA	(1) 16-oz. Bottle	7.19	9.59
PSFCN	CA	(12) 16-oz. Bottles	82.25	114.20



Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.

¹³See page 51 for Proposition 65 information for this product.



Miracle Wash® Waterless Wash & Wax

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMWSC	EA	(1) 13-oz. Spray Can	8.59	11.09
AMWSC	CA	(12) 13-oz. Spray Cans	97.85	131.20

Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-956-5695 (Monday - Friday, 7 a.m. -7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).







The Company of FIRSTS

More than 45 Years of Innovation and Leadership

FIRST API-qualified 100 percent synthetic motor oil.

FIRST to introduce the concept of "extended drain intervals" with a recommended 25,000-mile/12-month drain interval.

FIRST synthetic gear lube for automotive use.

FIRST synthetic motor oil for diesel engines.

FIRST synthetic motor oil for racing engines.

FIRST synthetic motor oil for turbocharged engines.

FIRST synthetic motor oil for marine engines.

FIRST 100:1 pre-mix synthetic 2-cycle oil.

FIRST synthetic automatic transmission fluid for automotive use.



CALIFORNIA PROPOSITION 65

WARNING STATEMENTS

- **MARNING: This product can expose you to 2,2'-Iminodiethanol, which is known to the State of California to cause cancer, and Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- **AWARNING: This product can expose you to 2-Methoxyethanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- ¹³ WARNING: This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 15 WARNING: This product can expose you to Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- **MARNING: This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Dibutyl phthalate, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 17 WARNING: This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- ¹⁹ WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings. ca.gov.
- 20 WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Dibutyl phthalate, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 21 WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

- 23 WARNING: This product can expose you to Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 25 WARNING: This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 26 WARNING: This product can expose you to n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 27 WARNING: This product can expose you to Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings. ca.gov.
- ²⁸ ▲ WARNING: This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



The First in Synthetics®

AMSOIL INC.

One AMSOIL Center Superior, WI 54880

WE HONOR







(Discover in U.S. only)

Your Servicing AMSOIL Dealer

Refer to this referral number to save time and make ordering easier. Call toll-free at 1-800-956-5695. Credit card orders only. ▼

Referral #

510227